






## Frame 7000-ADS

**For operation on  
EC construction sites only  
permissible with  
mechanical holding device  
according to  
EN 13155**



**for lifting and transporting of narrow, long strips  
manual turning through  $\pm 90$  degrees  
manual tilting through 90 degrees**

	vertical
	horizontal
	turning through $\pm 90$ degrees
	tilting through 90 degrees

### Description

- **1-circuit vacuum system**
- control vacuum meter on the device
- single row arrangement of suction cups
- suction cups fixed directly on the carrying bar
- adjustable distance between the suction cups via movable carrying bars
- all suction cups lockable individually
- turning device ( $-90^{\circ}/0^{\circ}/+90^{\circ}$ ) with ball bearing turning bolt and locking device
- tilting device ( $0^{\circ}$  to  $90^{\circ}$ ) with locking device every  $15^{\circ}$

### Vacuum Generation

- external vacuum generation necessary e. g. via a Pannkoke Compound Pump 7002-COMP2 in the craneway

### Control Means

- **SUCTION/RELEASE** via hand valve at the device or via remote control of the vacuum generation

**Suspension:** crane eye at the carrying frame  
**Safe Working Load:** 400 kg (1.5 m) / 340 kg (2.3 m)  
**Colour:** yellow

<b>suitable for lifting</b>	
material properties	gas-tight
surface	smooth
e. g.	glass panes, insulation glass units, plastic and ceramic plates, coated boards
<b>suction cup type</b>	<b>388</b>
<b>diameter</b> in action approx. mm	300
<b>quality of suction cups</b>	black rubber abrasion possible up to 100° C heat resistant
<b>number of suction cups</b>	4
<b>safe working load</b>	
<b>at carrying bar length 1500 mm</b> on smooth and clean surface at 60 % vacuum kg	400
<b>at carrying bar length 2300 mm</b> on smooth and clean surface at 60 % vacuum kg	340
<b>dead weight</b> approx. kg	
<b>vacuum infeed connection</b> quick release coupling	9 mm
<b>Item No.: 7005-ADS...</b>	<b>4-0910</b>
<b>Accessories on request</b>	
<b>Item No.: 388-SCHUTZ</b>	protection cap for suction cup 388

