


	Item-No.	Description
	444	Pneumatic Edge Decoating Equipment for manual removing of the edge coating for sealed-units production simple decoating also of special shapes (convex / concave) stepless adjustable grinding disc speed from 0 – 2500 1/min standardized pressure joint 6 bar operating pressure glass guidance with non-slip protection
	444-ES	Spare Grinding Disk 125 mm Ø for manual device 444 Schleifscheibenbreite 10 mm Aufnahmebohrung 76,2 mm
	443-Sch	Marking Template According to your layout
	823	Mini Diamond Circular Saw with accumulator diamond daw blade 85 mm Ø cutting depth approx. 30 mm cutting capacity at – 8 mm glass thickness approx. 1,7 m – 3 mm glass thickness approx. 5,0 m also for cutting of mitres up to 45° 9 volt accumulator charger – charging time approx.1 hour felt sole, therefore no scratches fitted with water tank – content approx. 1/4l weight approx. 3,2 kg
	823-ES	Diamond Saw Blade 85 mm Ø - cutting depth approx. 30 mm
	823-A	Spare Accumulator

	Item-No.	Description
	823-Aufl.	Charger
	802	Manual Grinding Machine MAKITA only for dry grinding with dust bag width of grinding belt 75 mm length of grinding belt approx. 530 mm weight approx. 5,0 kg 230 volt, 850 watt
		Grinding Belt
	670-040	grain 40
	670-060	grain 60
	670-080	grain 80
	670-100	grain 100
	670-120	grain 120
	670-150	grain 150
	670-180	grain 180
	670-240	grain 240
	670-320	grain 320
	676	Cork Polishing Belt
	803	Grinding File MAKITA Belt Grinding Machine only for dry grinding for bores up to 50 mm Ø width of grinding belt 30 mm length of grinding belt approx. 530 mm weight approx. 2,0 kg 230 volt, 490 watt
		Grinding Belt
	671-040	grain 40
	671-060	grain 60
	671-080	grain 80
	671-100	grain 100

	Item-No.	Description
	671-120	grain 120
	671-150	grain 150
	671-180	grain 180
	671-240	grain 240
	671-320	grain 320
	677	Cork Polishing Belt